Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
J. Cairns
C. R. Cantor
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. Felsenfeld
G. A. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
T. Staehelin
G. M. Tomkins
P. M. B. Walker

UNIVERSITY OF HAWAII LIBRARY
LIBRARY USE ONLY

130 J
J73

VOLUME 73
1 January 1973 to 5 February 1973

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1973, by Academic Press Inc. (London) Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 73

Number 1, 1 January 1973

Steitz, J. A., Specific Recognition of Non-initiator Regions in RNA Bacteriophage Messengers by Ribosomes of *Bacillus stearothermophilus* . . 1

Beckendorf, S. K., Kim, J. S. and Lielausis, I., Structure of Bacteriophage T4 Genes *37* and *38* 17

Beckendorf, S. K., Structure of the Distal Half of the Bacteriophage T4 Tail Fiber 37

Gyurasits, E. B. and Wake, R. G., Bidirectional Chromosome Replication in *Bacillus subtilis* 55

Zasloff, M. and Ochoa, S., Polypeptide Chain Initiation in Eukaryotes. IV. Purification and Properties of Supernatant Initiation Factor from *Artemia salina* Embryos 65

Maloney, P. C. and Rotman, B., Distribution of Suboptimally Induced β-D-Galactosidase in *Escherichia coli*. The Enzyme Content of Individual Cells 77

Soldo, A. T. and Godoy, G. A., Molecular Complexity of *Paramecium* Symbiont *Lambda* Deoxyribonucleic Acid: Evidence for the Presence of a Multicopy Genome 93

Tikchonenko, T. I., Kisseleva, N. P., Zintshenko, A. I., Ulanov, B. P. and Budowsky, E. I., Peculiarities of the Secondary Structure of Bacteriophage DNA *in situ*. IV. Covalent Cross-links between DNA and Protein that arise in the Reaction of S_d phage with *O*-Methylhydroxylamine . . 109

Letters to the Editor

Hall, B. G. and Gallant, J. A., On the Rate of Messenger Decay during Amino Acid Starvation 121

Pettersson, U. and Sambrook, J., Amount of Viral DNA in the Genome of Cells transformed by Adenovirus Type 2 125

Eisinger, J. and Spahr, P.-F., Binding of Complementary Pentanucleotides to the Anticodon Loop of Transfer RNA . . . 131

Leibowitz, R. D., Weinberg, R. A. and Penman, S., Unusual Metabolism of 5 S RNA in HeLa Cells 139

Number 2, 10 January 1973

Ikai, A. and Tanford, C., Kinetics of Unfolding and Refolding of Proteins. I. Mathematical Analysis 145

Ikai, A., Fish, W. W. and Tanford, C., Kinetics of Unfolding and Refolding of Proteins. II. Results for Cytochrome *c* 165

Tanford, C., Aune, K. C. and Ikai, A., Kinetics of Unfolding and Refolding of Proteins. III. Results for Lysozyme 185

Jaenisch, R. and Levine, A. J., DNA Replication of SV40-infected Cells. VII. Formation of SV40 Catenated and Circular Dimers . . . 199

Gould, A. R., May, B. K. and Elliott, W. H., Accumulation of Messenger RNA for Extracellular Enzymes as a General Phenomenon in *Bacillus amyloliquefaciens* 213

Glenn, A. R., Both, G. W., McInnes, J. L., May, B. K. and Elliott, W. H., Dynamic State of the Messenger RNA Pool Specific for Extracellular Protease in *Bacillus amyloliquefaciens*: Its Relevance to the Mechanism of Enzyme Secretion 221

Notani, G. W., Regulation of Bacteriophage T4 Gene Expression . . 231

Bull, T. E., Andrasko, J., Chiancone, E. and Forsén, S., Pulsed Nuclear Magnetic Resonance Studies on ^{23}Na, ^{7}Li and ^{35}Cl binding to Human Oxy- and Carbon Monoxyhaemoglobin 251

Tomita, S., Enoki, Y., Ochiai, T., Kawase, M. and Okuda, T., Cleavage at the $\alpha_1 \beta_1$ Contact and its Effect on the Oxygen Equilibrium of Human Haemoglobin 261

Letter to the Editor

Suzuki, E., Crewther, W. G., Fraser, R. D. B., MacRae, T. P. and McKern, N. M., X-ray Diffraction and Infrared Studies of an α-Helical Fragment from α-Keratin 27

NUMBER 3, 19 JANUARY 1973

IWAYA, M. and DENHARDT, D. T., Mechanism of Replication of ϕX174 Single-stranded DNA. IV. The Parental Viral Strand is not conserved in the Replicating DNA Structure 279

IWAYA, M. and DENHARDT, D. T., Mechanism of Replication of ϕX174 Single-stranded DNA. V. Dispersive and Conservative Transfer of Parental DNA into Progeny DNA 291

TSAI, R. L. and GREEN, H., Studies on a Mammalian Cell Protein (P8) with Affinity for DNA *in vitro* 307

DAVIES, R. J. H., Complex Formation between Polyadenylic Acid and Formycin B 317

SCHREIER, M. H. and STAEHELIN, T., Initiation of Mammalian Protein Synthesis: the Importance of Ribosome and Initiation Factor Quality for the Efficiency of *in vitro* Systems 329

KATZ, E. P. and LI, S. T., The Intermolecular Space of Reconstituted Collagen Fibrils 351

NUMBER 4, 5 FEBRUARY 1973

JACOBSON, M. K. and LARK, K. G., DNA Replication in *Escherichia coli:* Evidence for Two Classes of Small Deoxyribonucleotide Chains . . 371

OGAWA, H. and TOMIZAWA, J., Ultraviolet Reactivation of Lambda Phage: Assay of Infectivity of DNA Molecules by Spheroplast Transfection . 397

HESS, U., DÜRWALD, H. and HOFFMANN-BERLING, H. DNA Synthesis in Nucleotide-permeable *Escherichia coli* Cells. VII. Conversion of ϕX174 DNA to its Replicative Form 407

KURIYAMA, Y. and LUCK, D. J. L., Ribosomal RNA Synthesis in Mitochondria of *Neurospora crassa* 425

GRANT, W. D. and POULTER, R. T. M., Rifampicin-sensitive RNA and Protein Synthesis by Isolated Mitochondria of *Physarum polycephalum* . . . 439

BANERJEE, R., STETZKOWSKI, F. and HENRY, Y., Reciprocal Effects of Change of Subunit Structure on Ligand Equilibria of Haemoglobin Valency Hybrids. Attempted Correlation with Electron Paramagnetic Resonance Spectra . 455

HENRY, Y. and BANERJEE, R., Electron Paramagnetic Studies of Nitric Oxide Haemoglobin Derivatives: Isolated Subunits and Nitric Oxide Hybrids . 46

UHLENBECK, O. C., BORER, P. N., DENGLER, B. and TINOCO, I., Jr., Stability of RNA Hairpin Loops: A_6-C_m-U_6 48

GRALLA, J. and CROTHERS, D. M., Free Energy of Imperfect Nucleic Acid Helices. II. Small Hairpin Loops 49

Appendix: Free Energy of Small Helices 50

SHULMAN, R. W., HARTWELL, L. H. and WARNER, J. R., Synthesis of Ribosomal Proteins during the Yeast Cell Cycle 51

LETTERS TO THE EDITOR

CONTESSE, G., BRACONE-MALHIÉ, A. and GROS, F., Interaction between λ or φ80 Prophage Induction and *gal* Operon Expression . . . 52

CORNICK, G., SIGLER, P. B. and GINSBERG, H. S., Mass of Protein in the Asymmetric Unit of Hexon Crystals—A New Method . . . 53

Index to Volume 73

Adenovirus type 2 transformed cells, amount of viral DNA in the genome, 125
ANDRASKO, J. (see also BULL, T. E.), 251
Anticodon loop of tRNA, binding of complementary pentanucleotides, 131
Artemia salina embryos, purification and properties of supernatant initiation factor, 65
AUNE, K. C. (see also TANFORD, C.), 185

Bacillus amyloliquefaciens, accumulation of mRNA for extracellular enzymes, 213
— —, dynamic state of mRNA pool specific for extracellular protease, 221
— *stearothermophilus* ribosomes, specific recognition of non-initiator regions in RNA bacteriophage messengers, 1
— *subtilis*, bidirectional chromosome replication, 55
Bacteriophage λ or $\phi 80$, interaction between prophage induction and *gal* operon expression, 527
— —, ultraviolet reactivation, 397
— ϕX174 DNA, conversion to its replicative form, 407
— — parental viral strand is not conserved in replicating DNA structure, 279
— — single-stranded DNA, dispersive and conservative transfer of parental into progeny DNA, 291
— S_d reaction *O*-methylhydroxylamine, formation of covalent cross-links between DNA and protein, 109
—, specific recognition of non-initiator regions in RNA bacteriophage messengers by ribosomes of *Bacillus stearothermophilus*, 1
— T4 gene expression regulation, 231
— —, structure of genes *37* and *38*, 17
— — tail fiber, structure of distal half, 37
BANERJEE, R. (see also HENRY, Y.), 469
—, STETZKOWSKI, F. & HENRY, Y., Reciprocal effects of change of subunit structure on ligand equilibria of haemoglobin valency hybrids. Attempted correlation with electron paramagnetic resonance spectra, 455
BECKENDORF, S. K., KIM, J. S. & LIELAUSIS, I., Structure of bacteriophage T4 genes *37* and *38*, 17
—, Structure of the distal half of the bacteriophage T4 tail fiber, 37
Bidirectional chromosome replication in *Bacillus subtilis*, 55
BORER, P. N. (see also UHLENBECK, O. C.), 483
BOTH, G. W. (see also GLENN, A. R.), 221
BRACONE-MALHIÉ, A. (see also CONTESSE, G.), 527
BUDOWSKY, E. I. (see also TIKCHONENKO, T. I.), 109
BULL, T. E., ANDRASKO, J., CHIANCONE, E. & FORSÉN, S., Pulsed nuclear magnetic resonance studies on ^{23}Na, ^{7}Li, and ^{35}Cl binding to human oxy- and carbon monoxyhaemoglobin, 251

Carbon monoxyhaemoglobin, human, binding of ^{23}Na, ^{7}Li and ^{35}Cl studied by nuclear magnetic resonance, 251
Catenated and circular DNA dimer formation in SV40-infected cells, 199
CHIANCONE, E. (see also BULL, T. E.), 251
Chromosome, bidirectional replication in *Bacillus subtilis*, 55
Collagen fibrils, reconstituted, intermolecular space, 351
CONTESSE, G., BRACONE-MALHIÉ, A. & GROS, F., Interaction between λ and $\phi 80$ prophage induction and *gal* operon expression, 527
CORNICK, G., SIGLER, P. B. & GINSBERG, H. S., Mass of protein in the asymmetric unit of hexon crystals—a new method, 533

Covalent cross-links between DNA and protein that arise in the reaction of S_d phage with *O*-methylhydroxylamine, 109
Crewther, W. G. (see also Suzuki, E.), 275
Crothers, D. M. (see also Gralla, J.), 497
Crystals of hexon, mass of protein in the asymmetric unit, new method, 533
Cytochrome *c* unfolding and refolding kinetics, 165

Davies, R. J. H., Complex formation between polyadenylic acid and formycin B, 317
Dengler, B. (see also Uhlenbeck, O. C.), 483
Denhardt, D. T. (see also Iwaya, M.), 279, 291
Deoxyribonucleic acid affinity of mammalian cell protein (P8) *in vitro*, 307
— — and protein, covalent cross-links that arise in the reaction of S_d phage with *O*-methyl hydroxylamine, 109
— —, catenated and circular dimer formation in SV40-infected cells, 199
— — molecules of λ phage after ultraviolet reactivation; spheroplast transfection used to assay infectivity, 397
— — of bacteriophage φX174, conversion to its replicative form, 407
— — — *Paramecium* symbiont *lambda* particles, evidence for a multicopy genome, 93
— — replication in *Escherichia coli*, evidence for the two classes of small deoxynucleotide chains 371
— —, single stranded of bacteriophage φX174, dispersive and conservative transfer of parental into progeny DNA, 291
— — — — — — —, parental viral strand is not conserved in replicating DNA structure, 279
— —, viral, amount in the genome of cells transformed by adenovirus type 2, 125
Durwald, H. (see also Hess, U.), 407

Eisinger, J. & Spahr, P.-F., Binding of complementary pentanucleotides to the anticodon loop of transfer RNA, 131
Electron paramagnetic resonance spectra data correlated with reciprocal effects of change of subunit structure on ligand equilibria of haemoglobin valency hybrids, 455
— — studies of nitric oxide haemoglobin derivatives, isolated subunits and nitric oxide hybrids 469
Elliott, W. H. (see also Glenn, A. R.), 221
— (see also Gould, A. R.), 213
Embryos of *Artemia salina*, purification and properties of supernatant initiation factor, 65
Enoki, Y. (see also Tomita, S.), 261
Escherichia coli, β-D-galactosidase content of individual cells in which enzyme was suboptimally induced, 77
— — DNA replication, evidence for two classes of small deoxyribonucleotide chains, 371
— — — synthesis in nucleotide-permeable cells, 407
Expression regulation in bacteriophage T4 gene, 231
Extracellular enzyme mRNA accumulation in *Bacillus amyloliquefaciens*, 213
— protease, dynamic state of specific mRNA pool in *Bacillus amyloliquefaciens*, 221

Fish, W. W. (see also Ikai, A.), 165
Formycin B and polyadenylic acid complex formation, 317
Forsén, S. (see also Bull, T. E.), 251
Fraser, R. D. B. (see also Suzuki, E.), 275
Free energy of small hairpin loops of nucleic acids, 497
— — — — nucleic acid helices, 507

gal Operon expression, interaction with λ or φ80 prophage induction, 527
β-D-Galactosidase content of individual *Escherichia coli* cells in which enzyme was suboptimally induced, 77
Gallant, J. A. (see also Hall, B. G.), 121
Ginsberg, H. S. (see also Cornick, G.), 533
Glenn, A. R., Both, G. W., McInnes, J. L., May, B. K. & Elliott, W. H., Dynamic state of the messenger RNA pool specific for extracellular protease in *Bacillus amyloliquefaciens*: its relevance to the mechanism of enzyme secretion, 221

Godoy, G. A. (see also Soldo, A. T.), 93
Gould, A. R., May, B. K. & Elliott, W. H., Accumulation of messenger RNA for extracellular enzymes as a general phenomenon in *Bacillus amyloliquefaciens*, 213
Gralla, J. & Crothers, D. M., Free energy of imperfect nucleic acid helices. II. Small hairpin loops, 497
Grant, W. D. & Poulter, R. T. M., Rifampicin-sensitive RNA and protein synthesis by isolated mitochondria of *Physarum polycephalum*, 439
Green, H. (see also Tsai, R. L.), 307
Gros, F. (see also Contesse, G.), 527
Gyurasits, E. B. & Wake, R. G., Bidirectional chromosome replication in *Bacillus subtilis*, 55

Haemoglobin, human, effect on oxygen equilibrium of cleavage at the α, β contact, 261
—, pulsed nuclear magnetic resonance studies on ^{23}Na, ^{7}Li, and ^{35}Cl binding to human oxy- and carbon monoxy-haemoglobin, 251
— valency hybrids, reciprocal effects of change of subunit structure on ligand equilibria, 455
Hairpin loops A_6-C_m-U_6 of RNA stability, 483
— — of nucleic acids, small, free energy, 497
Hall, B. G. & Gallant, J. A., On the rate of messenger decay during amino acid starvation, 121
Hartwell, L. H. (see also Shulman, R. W.), 513
HeLa cells 5 S RNA, unusual metabolism, 139
Henry, Y. & Banerjee, R., Electron paramagnetic studies of nitric oxide haemoglobin derivatives: isolated subunits and nitric oxide hybrids, 469
— (see also Banerjee, R.), 455
Hess, U., Dürwald, H. & Hoffman-Berling, H., DNA synthesis in nucleotide-permeable *Escherichia coli* cells. VII. Conversion of ϕX174 DNA to its replicative form, 407
Hexon crystals, mass of protein in the asymmetric unit, new method, 533
Hoffman-Berling, H. (see also Hess, U.), 407
Human haemoglobin oxygen equilibrium, effect of cleavage at the $\alpha_1\beta_1$ contact, 261
— oxy- and carbon monoxyhaemoglobin binding of ^{23}Na, ^{7}Li and ^{35}Cl studied by pulsed nuclear magnetic resonance, 251

Ikai, A. & Tanford, C., Kinetics of unfolding and refolding of proteins. I. Mathematical analysis, 145.
—, Fish, W. W. & Tanford, C., Kinetics of unfolding and refolding of proteins. II. Results for cytochrome *c*, 165
— (see also Tanford, C.), 185
Infrared absorption studies of an α-helical fragment from α-keratin, 275
Initiation factor from *Artemia salina* embryos, purification from supernatant and properties, 65
— of mammalian protein synthesis, importance of ribosome and initiation factor quality for the efficiency of *in vitro* systems, 329
Intermolecular space of reconstituted collagen fibrils, 351
Iwaya, M. & Denhardt, D. T., Mechanism of replication of ϕX174 single-stranded DNA. IV. The parental viral strand is not conserved in the DNA replicating structure, 279
— — — — — — — — — — —. V. Dispersive and conservative transfer of parental DNA into progeny DNA, 291

Jacobson, M. K. & Lark, K. G., DNA replication in *Escherichia coli*: evidence for two classes of small deoxyribonucleotide chains, 371
Jaenisch, R. & Levine, A. J., Replication of SV40-infected cells. VII. Formation of SV40 catenated and circular dimers, 199

Katz, E. P. & Li, S. T., The intermolecular space of reconstituted collagen fibrils, 351
Kawase, M. (see also Tomita, S.), 261
α-Keratin, X-ray diffraction and infrared studies of an α-helical fragment, 275
Kim, J. S. (see also Beckendorf, S. K.), 17
Kinetics of protein unfolding and refolding mathematically analysed, 145
— — unfolding and refolding of cytochrome *c*, 165
— — — — — — — lysozyme, 185
Kisseleva, N. P. (see also Tikchonenko, T. I.), 109
Kuriyama, Y. & Luck, D. J. L., Ribosomal RNA synthesis in mitochondria of *Neurospora crassa*, 425

λ (see Bacteriophage)
Lambda DNA of *Paramecium* symbiont, evidence for a multicopy genome, 93
Lark, K. G. (see also Jacobson, M. K.), 371
Leibowitz, R. D., Weinberg, R. A. & Penman, S., Unusual metabolism of 5 S RNA in HeL cells, 139
Levine, A. J. (see also Jaenisch, R.), 199
Li, S. T. (see also Katz, E. P.), 351
Lielausis, I. (see also Beckendorf, S. K.), 17
Ligand equilibria of haemoglobin valency hybrids, reciprocal effects of change of subunit structure, 455
Luck, D. J. L. (see also Kuriyama, Y.), 425
Lysozyme unfolding and refolding kinetics, 185

McInnes, J. L. (see also Glenn, A. R.), 221
McKern, N. M. (see also Suzuki, E.), 275
MacRae, T. P. (see also Suzuki, E.), 275
Maloney, P. C. & Rotman, B., Distribution of suboptimally induced β-D-galactosidase in *Escherichia coli*. The enzyme content of individual cells, 77
Mammalian cell protein (P8) with affinity for DNA *in vitro*, 307
— protein synthesis initiation, importance of ribosome and initiation factor quality for the efficiency of *in vitro* systems, 329
Mathematical analysis of unfolding and refolding kinetics for proteins, 145
May, B. K. (see also Glenn, A. R.), 221
— (see also Gould, A. R.), 213
Messenger decay rate during amino acid starvation, 121
— RNA for extracellular enzymes, accumulation in *Bacillus amyloliquefaciens*, 213
— — pool specific for extracellular protease, dynamic state in *Bacillus amyloliquefaciens*, 221
O-Methylhydroxylamine reaction with bacteriophage S_d, formation of covalent cross-link between DNA and protein, 109
Mitochondria of *Neurospora crassa*, ribosomal RNA synthesis, 425
— — *Physarum polycephalum*, isolated, rifampicin-sensitive RNA and protein synthesis, 439

Nitric oxide haemoglobin derivatives, isolated subunits and nitric oxide hybrids from electron paramagnetic studies, 469
Non-initiator regions in RNA bacteriophage messengers, specific recognition by ribosomes of *Bacillus stearothermophilus*, 1
Notani, G. W., Regulation of bacteriophage T4 gene expression, 231
Nuclear magnetic resonance, pulsed, study of ^{23}Na, ^{7}Li, and ^{35}Cl binding to human oxy- and carbon monoxyhaemoglobin, 251
Nucleic acid helices, small hairpin loops, free energy, 497
— acids, free energy of small helices, 507
Nucleotides, binding of complementary pentanucleotides to the anticodon loop of tRNA, 131
Nucleotide-permeable *Escherichia coli* cells, DNA synthesis, 407
Neurospora crassa, ribosomal RNA synthesis in mitochondria, 425

Ochiai, T. (see also Tomita, S.), 261
Ochoa, S. (see also Zasloff, M.), 65
Ogawa, H. & Tomizawa, J., Ultraviolet reactivation of lambda phage: assay of infectivity of DNA molecules by spheroplast transfection, 397
Okuda, T. (see also Tomita, S.), 261
Oxygen equilibrium of human haemoglobin, effect of cleavage at the $\alpha_1\beta_1$ contact, 261
Oxyhaemoglobin, human, binding of ^{23}Na, ^{7}Li and ^{35}Cl studied by pulsed nuclear magnetic resonance, 251

φ80 (see Bacteriophage)
φX174 (see Bacteriophage)
Paramecium symbiont *lambda* DNA, evidence for a multicopy genome, 93
Penman, S. (see also Leibowitz, R. D.), 139
Pettersson, U. & Sambrook, J., Amount of viral DNA in the genome of cells transformed by adenovirus type 2, 125

Physarum polycephalum isolated mitochondria, rifampicin-sensitive RNA and protein synthesis, 439
Polyadenylic acid–formycin B complex formation, 317
Poulter, R. T. M. (see also Grant, W. D.), 439
Protease, extracellular, dynamic state of specific mRNA pool in *Bacillus amyloliquefaciens*, 221

Ribonucleic acid, accumulation of messenger for extracellular enzymes in *Bacillus amyloliquefaciens*, 213
— — bacteriophage messengers, specific recognition of non-initiator regions by ribosomes of *Bacillus stearothermophilus*, 1
— —, messenger, decay rate during amino acid starvation, 121
— — — pool specific for extracellular protease, dynamic state in *Bacillus amyloliquefaciens*, 221
— —, ribosomal, synthesis in mitochondria of *Neurospora crassa*, 425
— —, rifampicin-sensitive and protein synthesis by isolated mitochondria of *Physarum polycephalum*, 439
— —, stability of hairpin loop A_6-C_m-U_6, 483
— —, transfer, binding of complementary pentanucleotides to the anticodon loop, 131
— —, unusual metabolism of 5 S in HeLa cells, 139
Ribosomal protein synthesis during the yeast cell cycle, 513
— RNA synthesis in mitochondria of *Neurospora crassa*, 425
Ribosome and initiation factor quality, importance for the efficiency of *in vitro* mammalian protein synthesis initiation, 329
Rifampicin-sensitive RNA and protein synthesis by isolated mitochondria of *Physarum polycephalum*, 439
Rotman, B. (see also Maloney, P. C.), 77

S_d (see Bacteriophage), 109
Sambrook, J. (see also Pettersson, U.), 125
Schreier, M. H. & Staehelin, T., Initiation of mammalian protein synthesis: the importance of ribosome and initiation factor quality for the efficiency of *in vitro* systems, 329
Shulman, R. W., Hartwell, L. H. & Warner, J. R., Synthesis of ribosomal proteins during the yeast cell cycle, 513
Sigler, P. B. (see also Cornick, G.), 533
Soldo, A. T. & Godoy, G. A., Molecular complexity of *Paramecium* symbiont *lambda* DNA: evidence for the presence of a multicopy genome, 93
Spahr, P.-F. (see also Eisinger, J.), 131
Spheroplast transfection used to assay infectivity of DNA molecules of λ phage after ultraviolet reactivation, 397
Staehelin, T. (see also Schreier, M. H.), 329
Steitz, J. A., Specific recognition of non-initiator regions in RNA bacteriophage messengers by ribosomes of *Bacillus stearothermophilus*, 1
Stetzkowski, F. (see also Banerjee, R.), 455
Suzuki, E., Crewther, W. G., Fraser, R. D. B., MacRae, T. P. & McKern, N. M., X-ray diffraction and infrared studies of an α-helical fragment from α-keratin. 275
SV40 (see Virus), 199

T4 (see Bacteriophage), 17, 37
Tail fiber of bacteriophage T4, structure of distal half, 37
Tanford, C., Aune, K. C. & Ikai, A., Kinetics of unfolding and refolding of proteins. III. Results for lysozyme, 185
Tanford, C. (see also Ikai, A.), 165
Tikchonenko, T. I., Kisseleva, N. P., Zintshenko, A. I., Ulanov, B. P. & Budowsky, E. I., Peculiarities of the secondary structure of bacteriophage DNA *in situ*. IV. Covalent cross-links between DNA and protein that arise in the reaction of S_d phage with *O*-methylhydroxylamine, 109
Tinoco, I., Jr. (see also Uhlenbeck, O. C.), 483
Tomita, S., Enoki, Y., Ochiai, T., Kawase, M. & Okuda, T., Cleavage at the $\alpha_1\beta_1$ contact and its effect on the oxygen equilibrium of human haemoglobin, 261
Tomizawa, J. (see also Ogawa, H.), 397
Transfer RNA anticodon loop, binding of complementary pentanucleotides, 131
Tsai, R. L. & Green, H., Studies on mammalian cell protein (P8) with affinity for DNA *in vitro*. 307

Uhlenbeck, O. C., Borer, P. N., Dengler, B. & Tinoco, I., Jr, Stability of RNA hairpin loop A_6-C_m-U_6, 483
Ulanov, B. P. (see also Tikchonenko, T. I.), 109
Ultraviolet reactivation of λ phage, 397
Unfolding and refolding kinetics for cytochrome *c*, 165
— — — — — proteins mathematically analysed, 145
— — — — of lysozyme, 185

Viral DNA amount in the genome of cells transformed by adenovirus type 2, 125
Virus SV40, catenated and circular DNA dimer formation, 199

Wake, R. G. (see also Gyurasits, E. B.), 55
Warner, J. R. (see also Shulman, R. W.), 513
Weinberg, R. A. (see also Leibowitz, R. D.), 139

X-ray diffraction studies of an α-helical fragment from α-keratin, 275

Yeast cell cycle, ribosomal protein synthesis, 513

Zasloff, M. & Ochoa, S., Polypeptide chain initiation in eukaryotes. IV. Purification an properties of supernatant initiation factor from *Artemia salina* embryos, 65
Zintshenko, A. I. (see also Tikchonenko. T. I.), 109